

WAGGA WAGGA**ELEV 724****AVFAX CODE 2131**

NSW

UTC +10

YSWG


350955S

1472759E

VAR 12 DEG E

CERT

AD OPR Wagga Wagga City Council, PO Box 20, Wagga Wagga, NSW, 2650. PH Airport Operations Manager 02 6926 9267 MOB 0408 638 801. ARO 02 6938 3161: 0417 658 953: 0409 771 895: Fax 6938 3146.

**REMARKS**

1. AD Charges: Refer to website www.wagga.nsw.gov.au (Council/Fees and Charges).
2. Pavement concessions directed to Wagga Wagga City Council as required.
3. This AD is a Security Controlled Airport. All pilots and operators must possess and display a current Aviation Security Identification Card (ASIC) when airside.
4. GA pilots use gate 3, 80M west of terminal. No access to terminal via RPT apron.
5. ACFT PRKG 0417 658 953.
6. GA pedestrians do not cross RPT apron. Access/egress terminal via gate 3 only, west RPT Bay 1.
7. **SUPPLEMENTARY MILITARY NOTICES**
 - a. All transient MIL and CIV/MIL ACFT that intend to visit or use MIL tarmac must submit a Short Term Transit Request (eSTTR) for visits 48HR or less. For visits greater than 48HR, a Combat Support Request (CSR) must be used via Combat Support Coordination Centre Watchkeeper on 07 5361 6888 or AMB.CSCCWatchkeeper@defence.gov.au.
 - b. RFFS CAT 4 fire services only AVBL H24 for MIL RQMNTS. Fire Watchroom Phone 02 6937 4324, EMERG 02 6937 4333.
 - c. NIL duty crew capability.
 - d. NIL local MIL SAR AVBL.
 - e. All MIL ACFT PKG is subject to security controls relating to CIV terminal OPS.
 - f. For physical access to RAAF Base Wagga all enquiries to 31 SQN ABCP RAAF Base Wagga. Phone 02 6937 5888 or the Duty H24 Mobile 0427 016 100, Email: wag.abcp@defence.gov.au.
 - g. All MIL ACFT movements must be notified to Wagga Wagga City Council.

HANDLING SERVICES AND FACILITIES

AIR BP: Wagga Air Centre: H24. Phone 02 6922 7122, AH 0427 227 122.

Email: admin@waggaaircentre.com AVGAS H24 Carnet Cardswipe Bowser.

World Fuel Services: 0800-1700 Local DLY (1HR earlier during HDS). H24 Card Swipe AVGAS Bowser. H24 Duty Refueller 0418 227 299. JET A1, 1HR PN AH. AH call-out fee applies.

Office 02 6922 7207. Email: wagga@aerorefuellers.com.au

FBO Service contact Wagga Air Centre 0900-1700 Local, Phone 02 6922 7122, AH 0427 227 122, Email: admin@waggaaircentre.com

SURFACE MOVEMENT GUIDANCE

MIL HEL lanes marked with white gables S of RWY 05 and W of RWY 30.

AERODROME OBSTACLES

1. Tower (350257.17S 1473333.85E), 020DEG M/8 DME, 1,992FT AMSL.
2. Tall structure erected 190FT AGL BRG 302 MAG 9,900M FM ARP (and BRG 104 MAG 1,700M FM EMERG HEL pad ADJ base hospital).
3. Lit boundary fence (HN) 10FT AGL infringing into APCH surface RWY 23. BRG 045 MAG 1,300M FM ARP.
4. MIOL - OBST communications mast 160FT AGL BRG 091 MAG 5,715M FM ARP infringes obstacle limitation SFC by 126FT.
5. Illuminated WDI (lit with red LGT) 26FT AGL, PSN BRG 062 MAG 1,132M FM ARP, ADJ to RWY 23 THR, infringes the flyover area of the RWY strip.
6. Illuminated WDI (lit with red LGT) 26FT AGL, PSN BRG 262 MAG 670M FM ARP ADJ to RWY 05 THR, infringes the flyover area of the RWY strip.
7. Glide path antenna (lit with red LGT) 45FT AGL, PSN BRG 064 MAG 881M FM ARP, infringes RWY 05/23 transitional surface flyover area of the RWY strip.

METEOROLOGICAL INFORMATION PROVIDED

1. TAF CAT B, METAR/SPECI. AD WRNG.
2. AWIS Phone 02 9353 6455 - Report faults to BoM.
3. AWIS FREQ 115.0, 221 - Report faults to AD OPR.

PHYSICAL CHARACTERISTICS

05/23	051 58a	PCN 20 /F /C /1400 (203PSI) /T	WID 45	RWS 150
12/30	114 29c	5700/630 (91PSI) Grassed red clay.	WID 18	RWS 90

AERODROME AND APPROACH LIGHTING

RWY 05/23	LIRL(1)	PAL+AFRU 126.95	SDBY PWR AVBL
RWY 05/23	PAPI(2)	PAL+AFRU 126.95	3.0 DEG51FT
RWY 12/30	PTBL(3)		

- (1) PAL + AFRU requires three one-second pulses to activate (See INTRO para 23.5). Not AVBL HJ.
 - (2) PAL+AFRU requires three one-second pulses to activate (See INTRO para 23.5). Left side.
 - (3) By arrangement
- RWY edge light spacing: 05/23: 60M.

OTHER LIGHTING

ABN ALTN 8 WG

1. Secondary PWR switchover time: 15 SEC for the following services:
 - a. Essential Obstacle Lights
 - b. Essential Taxiway Lights
 - c. Essential Runway Edge Lights
 - d. Runway End Lights
 - e. Precision Approach Path Indicators
 - f. Primary Wind Indicator
2. No runway centreline lights are provided.
3. TWY LGT: Blue edge on C.

ATS COMMUNICATIONS FACILITIES

FIA MELBOURNE CENTRE 119.5 On Ground

RADIO NAVIGATION AND LANDING AIDS

DME	IWG	111.1/ 48X	350942.7S	1472831.0E	(2)
		(RWY23)			
GP	IWG	331.7 (RWY23)	350942.4S	1472830.9E	
ILS	IWG	111.1 (RWY23)	351004.2S	1472730.1E	
LOC	IWG	111.1 (RWY23)	351004.2S	1472730.1E	
DME	WG	115.0/ 97X	350956.6S	1472808.2E	(1)
NDB	WG	221	350946.9S	1472720.1E	Range 80 (HN 80)
VOR	WG	115.0	350956.7S	1472808.7E	
(1)		Antenna ELEV 737FT			
(2)		Antenna ELEV 717FT			

LOCAL TRAFFIC REGULATIONS

1. MIL tarmac space restrictions apply, this may necessitate larger ACFT having to reverse into nominated PRKG area.
2. Main parallel TWY A not AVBL to ACFT ABV 13,500KG MTOW.
3. TWY G only AVBL to MIL ACFT via TWY A and E only.
4. All ACFT ABV 13,500KG are required to taxi down RWY 05/23 centre line.
5. TWY B, TWY E and TWY F not AVBL to ACFT ABV 5,700KG.
6. Parking on the RPT apron Bays 1-4 is restricted to RPT ACFT or ACFT approved by the AD manager or his delegate. No other ACFT may park on the RPT apron other than for picking up or setting down of passengers between RPT OPS.
7. Parking Bay 5 restricted to Air Ambulance ACFT only.
8. Parking Bay 6 restricted to MIL ACFT or ACFT approved by AD manager or his delegate.
9. Bay 5 and 6 not AVBL for RPT OPS and PAX MOV during HRS of darkness.
10. STD WING TIP CLR FOR CODE C AND CODE D ACFT NOT AVBL ALONG TAXI ROUTE BTN TWY C AND TWY H. During such movements, Aircraft operators of aircraft with a wingspan greater than 28M are to advise Airport Management of their intended movements on this aerodrome: aircraft type, date and time of intended movement. Before entering the RPT Apron, ACFT are to call Aerodrome Operations (Safety 1) on CTAF (126.95) and hold on TWY C or H until Safety 1 is on site to provide wingtip clearance assistance.

FLIGHT PROCEDURES

1. FM the THR of RWY 12, TFC on short final and on the ground near the THR of RWY 23 can be hidden FM view, depending on ACFT size and flight path.
2. Low Visibility Operations with an RVR of less than 800M not permitted.
3. Night operations limited to lit aprons, lit taxiways and lit runways only

CTAF - AFRU 126.95

In the event of an EMERG, ACFT are to declare the EMERG on the area FREQ. When WI 20NM of Wagga AD, ACFT may advise details to RFFS, callsign "Base Fire" on 126.95

ADDITIONAL INFORMATION

1. Bird hazard exists. Galahs common FM AUG-FEB.
2. OLS immediately S of AD infringed by hills and marked by 8 low intensity OBS lights HN.
3. Recruit training ACT takes place H24 TUE-FRI, 0.5NM S of THR RWY 30. ACT is outside airfield perimeter and involves use of blank ammunition, smoke and hand flares by day and NGT. No live firing or projectiles will be used. Further details can be obtained from BCP 02 6937 5888 JO.
4. R408 Explosive Demolition, SFC-1,900FT AMSL, 100M RAD, ACT by NOTAM. Range LCA 351013.00S 1472757.00E (440M SW THR RWY 30). ACT indicated by display of R flags HJ and R flashing LGT HN.
5. Model ACFT flying will take place WI 1000M RAD of 351112.00S 1471624.00E (APRX 10NM W of Wagga AD). SFC-1,000FT AGL and at Mt Coreinbob, 351648.00S 1473330.00E (APRX 8NM SE of Wagga AD).
6. Model ACFT OPR WI 1,000M of PSN 351024.00S 1471624.00E BRG 254 MAG 9.7NM FM Wagga Wagga AD (YSWG) SFC-2,000FT.
7. Weather balloon launch APRX 0515. 1115, 2315 UTC FM 1.1KM NW ARP. Launches may occur at other times.
8. Flight training activity operating within 270DEG to 030DEG FM YSWG up to 30NM.

CHARTS RELATED TO THE AERODROME

1. WAC 3456, 3457.
2. Also refer to AIP Departure and Approach Procedures.